

eslaprene<sup>PP</sup>

PP

eslavaplásticos

## ESLAPRENE PP

**PRODUCT** PP R BLACK 97,69% PCR

**REFERENCE** UNE-EN 15345

### Characteristics and Test Methods

**MELT INDEX** (11 ± 5) g/10 min (230° C · 2.160 kg)

EN ISO 1133



**MASS DENSITY** (0.875 ± 0.060) g/cc

EN ISO 1183-1



**ASH CONTENT** Maximum 3.00 %

EN ISO 3451-1



**CARBON BLACK (black)** Minimum 1.00 %

EN ISO 53375-2



**MOISTURE** < 0.1 %

Internal Method



**% PE** < 5%

EN ISO 11357-3



**FILTRATION LEVEL** 150 - 250 µm



**IMPACT RESISTANCE** > 6 kJ/m<sup>2</sup> (23° C)

(ANNUAL) EN ISO 179-1



#### PRODUCT CODE

3310300



#### PACKAGING UNIT

Bags of 25 kg / big bags



#### TRANSPORT UNIT

Pallets of 1,250 kg  
Alternatively big bags up to 1,100 kg  
or bulk



#### HOMOGENEOUS BATCH

25 Tn



#### CONDITION

Not suitable for food  
contact application



**COLOUR** Black

**ET-CAL / 04 / A**  
**20.10.23**